




PERFECT FIT INDUSTRIES, INC.



RODAMIENTOS 200



6000-2RS C3

Dim.: 10mm ID x 26mm OD x 8mm W
 Replaces: Delco 1989646, 10472207;
 Nippondenso 949100-1380;
 VW 028105313



6001-2RS C3

Dim.: 12mm ID x 28mm OD x 8mm W
 Replaces: Bosch 1-900-905-103,
 1-900-905-164, 1-0900-905-167;
 Hitachi 2130-2302;
 Nippondenso 949100-2250;
 Nissan 233-58-J5500



6002-2RS C3

Dim.: 15mm ID x 32mm OD x 9mm W
 Replaces: Delco 10498717;
 Honda 91006-634-008;
 Motorcraft MCE-431;
 Nippondenso 949100-1860;
 Trynita 90099-101113;
 Volvo 183856



6003-2RS C3

Dim.: 17mm ID x 35mm OD x 10mm W
 Replaces: Allis Chalmers 272033;
 Case A47248; Delco 10456461;
 Alfa Romeo 10555.04311.00;
 John Deere CH12553;
 Nippondenso 949100-1930, 949100-2210



6004-2RS C3

Dim.: 20mm ID x 42mm OD x 12mm W
 Replaces: BMW 32411125518;
 Hitachi 2114-45502; John Deere
 JD 30049; Nippondenso 949100-0240;
 Nissan 23363-M4900;
 Thermo King 77-1580



6005-2RS C3

Dim.: 25mm ID x 47mm OD x 12mm W
 Replaces: Delco 10456463;
 Fiat-Allis 24905270; Volvo 183502



6006-2RS C3

Dim.: 30mm ID x 55mm OD x 13mm W
 Replaces: Alfa Romeo 11600.12453.08;
 Citroen 7903090234; Claas 237832;
 Massey Ferguson 390941 X1;
 Renault / 03090220



6007-2RS C3

Dim.: 35mm ID x 62mm OD x 14mm W
 Replaces: Alfa Romeo 11608.12454.01;
 Allis Chalmers 233883;
 Hanomag 994 010 149



6008-2RS C3

Dim.: 40mm ID x 68mm OD x 15mm W
 Replaces: Fiat 24905120;
 Massey Ferguson 195047 M1;
 Saab 9381450



6009-2RS C3

Dim.: 45mm ID x 75mm OD x 16mm W
 Replaces: Fiat 24905130;
 Massey Ferguson 1440912 X1;
 Valmet 610060094



6010-2RS C3

Dim.: 50mm ID x 80mm OD x 16mm W
 Replaces: Hanomag 0635 331 223;
 International ST 561; Michigan 230885;
 Volvo 184647



Standard Single Row EMQ Bearings



6200-2RS C3

Dim.: 10mm ID x 30mm OD x 9mm W
Replaces: Allis Chalmers 272031;
 Caterpillar 3T7523; Delco 10456462;
 Motorola 11-23;
 Nippondenso 949100-0570;
 Toyota 90099-10107



6201-2RS C3

Dim.: 12mm ID x 32mm OD x 10mm W
Replaces: Bosch 1-120-905-022,
 1-900-905-028; John Deere CH12550;
 Lada 24940220; Mazda 0208-24-523;
 Nissan 23120-14801; Prestolite 25-68;
 Toyota 97143-06201



6202-2RS C3

Dim.: 15mm ID x 35mm OD x 11mm W
Replaces: Bosch 1-100-900-000;
 Delco 10475023; Ford 3004E 7600;
 Honda 38751-590-004;
 John Deere CH12549; Lucas 54160090;
 Renault 7703090001



6203-2RS C3

Dim.: 17mm ID x 40mm OD x 12mm W
Replaces: Bosch 1-900-905-227,
 1-900-905-271, 1-900-905-273,
 1-900-905-277; Delco 10469092,
 10473403; Ford C9ZZ-10094-A;
 Leece Neville 26853;
 Motorcraft GE 21, 11 1; Prestolite 25 73



6204-2RS C3

Dim.: 20mm ID x 47mm OD x 14mm W
Replaces: Caterpillar 7F9993;
 Delco 904793; John Deere JD 30071;
 Leece Neville 28441; Mazda 0208-78-736;
 Renault 0770620423



6205-2RS C3

Dim.: 25mm ID x 52mm OD x 15mm W
Replaces: Caterpillar 1S7056;
 Delco 904983; Leece Neville 29656;
 Motorola 11 40



6206-2RS C3

Dim.: 30mm ID x 62mm OD x 16mm W
Replaces: Leece Neville 28892;
 Nissan 38516-69600; Toyota 90363-30029



6207-2RS C3

Dim.: 35mm ID x 72mm OD x 17mm W
Replaces: Claas 235869;
 Caterpillar 5M 6508;
 Massey Ferguson 353140X1;
 Toyota 97140-06207-71



6208-2RS C3

Dim.: 40mm ID x 80mm OD x 18mm W
Replaces: Massey Ferguson 352976 X1;
 Podain 00396-98; Valmet LA 1184



6209-2RS C3

Dim.: 45mm ID x 85mm OD x 19mm W
Replaces: Delco 903209, 9411256,
 9437254, 9439722, 9439723, 10499078;
 Massey Ferguson 833360 M1;
 Volvo 181802; Yale 504 S 38



6210-2RS C3

Dim.: 50mm ID x 90mm OD x 20mm W
Replaces: Claas 244030;
International 763536 R91; Volvo 181803



6213-2RS C3

Dim.: 65mm ID x 120mm OD x 23mm W
Replaces: Poldain 00396-48



6303-2RS C3

Dim.: 17mm ID x 47mm OD x 14mm W
Replaces: Bosch 1-120-905-001,
1-900-905-304; Caterpillar 5P 841;
Chrysler 3755951; Delco 10469505;
Ford F0JY-10A303-A; Mitsubishi TMB303;
Motorcraft GEE-325



6211-2RS C3

Dim.: 55mm ID x 100mm OD x 21mm W
Replaces: Lancia 2048135;
Poldain 00396-45



6300-2RS C3

Dim.: 10mm ID x 35mm OD x 11mm W
Replaces: Deutz 1109111;
Dodge 3610901000; Fiat 26794750;
JCB 7H 2059



6304-2RS C3

Dim.: 20mm ID x 52mm OD x 15mm W
Replaces: Delco 907187,
Leece Neville 57166



6301-2RS C3

Dim.: 12mm ID x 37mm OD x 12mm W
Replaces: Claas 237943; Volvo 181874



6305-2RS C3

Dim.: 25mm ID x 62mm OD x 17mm W
Replaces: Caterpillar 1B5387;
Delco 907940; Ford E2HZ-10A303-A;
Leece Neville 76262; Motorola 11-34;
Nikko 1-0452-63057; Prestolite 25-4



6212-2RS C3

Dim.: 60mm ID x 110mm OD x 22mm W
Replaces: Massey Ferguson 832611 M1,
790836M1



6302-2RS C3

Dim.: 15mm ID x 42mm OD x 13mm W
Replaces: Ford C5NF-10045-A,
E7GZ-10A303-A; Hanomag 994 010 144;
Lada 24940230; Lucas 54160139;
Mazda S930P61370; Motorcraft GEE-313



6306-2RS C3

Dim.: 30mm ID x 72mm OD x 19mm W
Replaces: Clark 672547; Fiat 26204529;
Ford 74HB 7600 AA; Massey Ferguson
35324 X1; Pegaso 36112.304.00



6309-2RS C3

Dim.: 45mm ID x 100mm OD x 25mm W
Replaces: Clayson 210086;
Massey Ferguson 391069 X1;
Toyota 97140-06309-71;
Unic 204066; Volvo BM 108424



6311-2RS C3

Dim.: 55mm ID x 120mm OD x 29mm W
Replaces: Lancia 2041021;
Podain 00396-74



6307-2RS C3

Dim.: 35mm ID x 80mm OD x 21mm W
Replaces: Fiat-Allis 28996690;
International 363953 R91;
Massey Ferguson 354920 X1



6310-2RS C3

Dim.: 50mm ID x 110mm OD x 27mm W
Replaces: Caterpillar 1T210;
DAF 325058; Komatsu 06030-06310;
Outboard Marine 28995910;
Pegaso 515115; Volvo 183588

**Photo
Currently
Not
Available**

6312-2RS C3

Dim.: 60mm ID x 130mm OD x 31mm W
Replaces: Volvo 181882, 7181882



6308-2RS C3

Dim.: 40mm ID x 90mm OD x 23mm W
Replaces: Clark 669068; Clayson
210049; Hanomag 994 010 147;
Massey Ferguson 354921 X1;
Podain 00396-97; Unic 204091

**Photo
Currently
Not
Available**

6313-2RS C3

Dim.: 65mm ID x 140mm OD x 43mm W
Replaces: MAN 06.31420.4602



203KRR2

Dim.: 16.2mm ID x 40mm OD x 18.2/12mm W
 Note: Agricultural Implement Bearing



6000-TT C3

Dim.: 10mm ID x 26mm OD x 8mm W
 Replaces: Delco 1989711, 10474532
 Note: w/ 2 Tolerance rings on OD



6004-DW

Dim.: 18.8mm ID x 42mm OD x 12mm W
 Note: w/Self Lubricating Bushing in ID
 Used in Mitsubishi offset G/R starters



6004-LL

Dim.: 20mm ID x 42mm OD x 12mm W
 Note: w/2 Tolerance Rings in ID
 Used in Mitsubishi starters on Ford 7.3L Diesel Engines (Mitsubishi unit# M8T50071, M8T50171, M8T50172)



6006-2RS d32 C3

Dim.: 32mm ID x 55mm OD x 13mm W
 Note: Used in Mack Truck water pumps and hydraulic pumps



6014-2RS C3

Dim.: 70mm ID x 110mm OD x 20mm W
 Replaces: Fiat 24905360; Scania 215139
 Note: Used in clutch support in Scania Model 112

**Photo
 Currently
 Not
 Available**

613963P

Dim.: 12mm ID x 40mm OD x 12mm W
 Note: Open bearing. Fits scooter engines.
 Pairs with 98305



6201-2RS 1/2" C3

Dim.: 12.7mm ID x 32mm OD x 10mm W
 Note: Used in industrial machinery applications



6202 SR C3

Dim.: 15mm ID x 35mm OD x 11mm W
 Note: w/ synthetic retainer



6202-TT C3

Dim.: 15mm ID x 35mm OD x 11mm W
 Replaces: Hitachi 6202NC;
 Isuzu 8-94223-980-0
 Note: w/ 2 Tolerance Rings on OD



6202-2RS 5/8" C3

Dim.: 5/8" ID x 35mm OD x 11mm W
 Note: Used in industrial machinery applications



6202-2RS d16 C3

Dim.: 16mm ID x 35mm OD x 11mm W
 Note: Used in industrial machinery applications



6203-2RS CV

Dim.: 17mm ID x 40/38mm OD x 12mm W
 Note: w/ convex outer diameter
 Used in agricultural implements



6203-TT C3

Dim.: 17mm ID x 40mm OD x 12mm W
Replaces: Ford F50U-10A304
Note: w/ 2 Tolerance Rings on OD

**Photo
Currently
Not
Available**

6203 w10 C3

Dim: 17mm ID x 40mm OD x 10mm W
Note: Used in scooter engines



6203-2RS 5/8" C3

Dim: 5/8" ID x 40mm OD x 12mm W
Note: Used in industrial machinery applications



6203-2RS d12 C3

Dim: 12mm ID x 40mm OD x 12mm W
Note: Used in industrial machinery applications



6203-ZZ NR C3

Dim: 17mm ID x 40mm OD x 12mm W
Note: w/ Snap Ring on OD
Used in outdoor power equipment (lawnmowers, trimmers, edgers, etc.)

**Photo
Currently
Not
Available**

6205 w13 C3

Dim.: 25mm ID x 52mm OD x 13mm W
Replaces: NTN SC05A5ICS24



6205-2RS d1 C3

Dim.: 1" ID x 52mm OD x 15mm W
Note: Used in industrial machinery applications



6206-2RS d20 C3

Dim.: 20mm ID x 62mm OD x 16mm W
Note: Used in industrial machinery applications



62000-2RS C3

Dim.: 10mm ID x 26mm OD x 10mm W
Replaces: Delco 10473711



62200-2RS C3

Dim.: 10mm ID x 30mm OD x 14mm W



62201-2RS C3

Dim.: 12mm ID x 32mm OD x 14mm W
Replaces: Bosch 1-120-900-012, 1-120-905-005, 1-900-905-282; Fiat 9935795; Man 06.31459.0018; Mercedes Benz 0029819025; Saab 9935795; Scania 305156



62202-2RS C3

Dim.: 15mm ID x 35mm OD x 14mm W
Replaces: Lada 2101-17011031
Note: Used in 100 amp Bosch alternators on Mercedes Benz 0470



62203-2RS C3

Dim.: 17mm ID x 40mm OD x 16mm W
Replaces: Mercedes Benz 00098116425



62204-2RS C3

Dim.: 20mm ID x 47mm OD x 18mm W
Replaces: Fiat 28042310; Volvo 183663
Note: Used in Mercedes Benz hydraulic pump F/0M355



62205-2RS C3

Dim.: 25mm ID x 52mm OD x 18mm W
Replaces: Fiat 28042310; Pegaso 64/268



62206-2RS C3

Dim.: 30mm ID x 62mm OD x 20mm W
Replaces: Mercedes Benz 0009816325



62207-2RS C3

Dim.: 35mm ID x 72mm OD x 23mm W
Note: Used in industrial equipment applications



62303-2RS C3

Dim.: 17mm ID x 47mm OD x 19mm W
Replaces: Fiat 24940240, 24940260; Mitsubishi S930P70170



62304-2RS d17 C3

Dim.: 17mm ID x 52mm OD x 21mm W
Replaces: Bosch 1-120-905-005, 1-120-905-103



62304-2RS d20 C3

Dim.: 20mm ID x 52mm OD x 21mm W
Replaces: Fiat 4591437



62305-2RS C3

Dim.: 25mm ID x 62mm OD x 24mm W
Replaces: Bosch 1-120-905-043; Mitsubishi S930P70070



62322.2-2RS C3

Dim.: 22.2mm ID x 56mm OD x 21mm W
Replaces: Bosch 1-120-905-035



62322-2RS C3

Dim.: 22mm ID x 56mm OD x 21mm W
Note: Used in industrial machinery applications



63001-2RS C3

Dim.: 12mm ID x 28mm OD x 12mm W
Replaces: Bosch 1-120-900-002;
Lancia 2041040



63003-2RS C3

Dim.: 17mm ID x 35mm OD x 14mm W
Note: Used in Volkswagen Gol Argentina alternators

**Photo
Currently
Not
Available**

6306-2RS d25 C3

Dim.: 25mm ID x 72mm OD x 19mm W
Replaces: Mitsubishi S930P81170
Note: Used in Mitsubishi alternator#
A4TU3699



6306-2RS d32 C3

Dim.: 32mm ID x 72mm OD x 19mm W
Replaces: Nissan 43215-H500;
Seal AB144301
Note: Used in rear wheel



6403-2RS C3

Dim.: 17mm ID x 62mm OD x 17mm W
Replaces: Bosch 1-120-900-008,
1-120-900-010; DAF 249240;
MAN 06.31429.0021; Valeo 102130;
Volvo 163409



6802-2RS C3

Dim.: 17mm ID x 24mm OD x 5mm W



6803-2RS C3

Dim.: 17mm ID x 26mm OD x 5mm W



6804-2RS C3

Dim.: 20mm ID x 32mm OD x 7mm W



6805-2RS C3

Dim.: 25mm ID x 37mm OD x 7mm W



6900-2RS C3

Dim.: 10mm ID x 22mm OD x 6mm W



6901-2RS C3

Dim.: 12mm ID x 24mm OD x 6mm W



6902-2RS C3

Dim.: 15mm ID x 28mm OD x 7mm W
Replaces: Hyatt 3LL-02
Note: Used in Mitsuba SM302 starters



6903-2RS C3

Dim.: 17mm ID x 30mm OD x 7mm W
Replaces: Hitachi 2114-35502; Nissan 23338-M4900; Thermo King 77-1578



6904-2RS C3

Dim.: 20mm ID x 37mm OD x 9mm W
Replaces: Hitachi 2114-35502, Nissan 23358-M4900



6904-DW

Dim.: 18.8mm ID x 37mm OD x 9mm W
Replaces: Delco 22516191; Mitsubishi M410X14171
Note: w/ Self-Lubricating Bushing on ID



6905-2RS C3

Dim.: 25mm ID x 42mm OD x 9mm W
Replaces: Hitachi 2130-3302; Nissan 23441-J5500



6906-2RS C3

Dim.: 30mm ID x 47mm OD x 9mm W
Replaces: Hitachi 2114-76615
Note: Used in Hitachi PMGR starters



949100-2790

Dim.: 15mm ID x 35mm OD x 13mm W
Replaces: Honda 31111-PD1-004; John Deere AR88019; Nippondenso 949100-3980; Toyota 90099-10140



949100-3190

Dim.: 15mm ID x 43mm OD x 13mm W
Replaces: Honda 31114-PD1-004; Nippondenso 949100-2800, 949100-3290; Toyota 90099-10159



949100-3330

Dim.: 17mm ID x 52mm OD x 16mm W
Replaces: Nippondenso 949100-4370; Toyota 90099-10160, 90099-10192



949100-3360

Dim.: 15mm ID x 46mm OD x 14mm W
Replaces: Honda 31114-PD1-034; Nippondenso 949100-3380, 949100-4620; Toyota 90099-04966, 90099-10159, 90099-10161, 90099-10199



949100-3480

Dim.: 15mm ID x 38mm OD x 19mm W
Replaces: Toyota 90099-10170



949100-3660

Dim.: 15mm ID x 32mm OD x 11mm W
Replaces: Nippondenso 949100-3670



949100-3820

Dim.: 15mm ID x 62mm OD x 16mm W
Replaces: Toyota 90099-10178



Non-Standard Single Row EMQ Bearings



98305

Dim.: 25mm ID x 62mm OD x 12mm W
Note: Used in Scooter engines



B8-23D

Dim.: 8mm ID x 23mm OD x 14mm W
Replaces: Mitsubishi S930P61201, SC8A05LHI
Note: w/ 2 Teflon Tolerance Rings on OD



B8-74D

Dim.: 8mm ID x 22mm OD x 11mm W
Replaces: Mitsubishi S930P17170
Note: w/ Retaining Ring



B8-79D

Dim.: 8mm ID x 23mm OD x 11mm W
Replaces: Chrysler MD611150; Mazda F81124503; Mitsubishi S930P17970; Nissan 23120-V5511
Note: w/ Retaining Ring



B8-85D

Dim.: 8mm ID x 23mm OD x 14mm W
Replaces: Ford E7GZ-10A304-A; Mitsubishi S930P63670; Motorcraft GEE-312
Note: w/ Retaining Ring



B10-27D

Dim.: 10mm ID x 27mm OD x 14mm W
Replaces: Ford E9PZ-10A04-A; Mitsubishi SC008ILHIA
Note: w/ 2 Tolerance rings on OD



B10-46D

Dim.: 10mm ID x 23mm OD x 11mm W
Replaces: Hitachi 6900BPL
Note: w/ Retaining Ring



B10-50D

Dim.: 10mm ID x 27mm OD x 11mm W
Replaces: Hitachi 6000G, 6000HL; Nissan 23120-58S01; Subaru 23721-AA010
Note: w/ Retaining Ring



B10-51D

Dim.: 10mm ID x 27mm OD x 11mm W
Replaces: Ford F8WU-10A304-AA
Note: Used in Ford 6G alternators



B12-32D

Dim.: 12mm ID x 32mm OD x 10mm W
Replaces: Mitsubishi S930P61201
Note: w/ Retaining Ring



B12-57D

Dim.: 12mm ID x 32mm OD x 13mm W
Replaces: Hitachi 6201 NCD
Note: w/ Retaining Ring
Fits Hitachi alternator# LR1110-701B



B15-69D

Dim.: 15mm ID x 35mm OD x 13mm W
Replaces: Nissan 23129-05E06
Note: w/ Retaining Ring



B15-83D

Dim.: 15mm ID x 47mm OD x 18mm W
Replaces: Chrysler MD611410; Ford C8PZ-10094-A; Mazda FC211-18-W27; Mitsubishi S930P18470; Motorcraft GEE-318; Nissan 23120-20P11



B15-86D

Dim.: 15mm ID x 47mm OD x 14mm W
Replaces: Chrysler MD611397; Ford E8GY-10A303-A; Mazda F811-18-W27; Mitsubishi TMB303LUX, S930P63070; Motorcraft GEE-316; Nissan 23120-58S11



B17-47D

Dim.: 17mm ID x 47mm OD x 24mm W
 Replaces: Mitsubishi S930P64870
 Note: Also used in Ford 3G alternators



B17-52D

Dim.: 17mm ID x 52mm OD x 15mm W
 Note: Used in Delco CS130D alternators



B17-99D

Dim.: 17mm ID x 52mm OD x 17mm W
 Replaces: Bosch 1-120-905-012;
 Valeo 592905, 592936



B17-107D

Dim.: 17mm ID x 47mm OD x 18mm W
 Replaces: Mitsubishi S930P64470,
 TMB303LU



B17-116D

Dim.: 17mm ID x 52mm OD x 18mm W
 Replaces: Ford F3LY-10A303-A;
 Mitsubishi S930P80570;
 Motorcraft CEE-331



B17-127D

Dim.: 17mm ID x 62mm OD x 20mm W
 Replaces: Bosch 1-120-905-097



B25-147

Dim.: 25mm ID x 62mm OD x 19mm W
 Note: Used in Nippondenso 24 volt
 alternator# 100211-0060, 100211-0090

**Photo
 Currently
 Not
 Available**

PGSC04A47CS

Dim.: 20mm ID x 52mm OD x 12mm W
 Replaces: NTN SC04A47CS42
 Note: Gearbox bearing



W6305-2RS C3

Dim.: 25mm ID x 62mm OD x 25.4 W
 Replaces: Leece Neville 35624



W6306-2RS C3

Dim.: 30mm ID x 72mm OD x 30.2 W
 Replaces: Leece Neville 29662



W6907-2RS C3

Dim.: 35mm ID x 55mm OD x 20mm W
 Note: Used in John Deere harvesters



607-2RS C3

Dim.: 7mm ID x 19mm OD x 6mm W
 Note: Used in power tools



608-2RS C3

Dim.: 8mm ID x 22mm OD x 7mm W
 Replaces: Caterpillar 3T7524;
 Delco 9440924, 10498718;
 Hitachi 2114-15502;
 John Deere CH12551;
 Nippondenso 949100-1360;
 Nissan 23319-M4900;
 Thermo King 77-1577;
 Toyota 282539-45020



609-2RS C3

Dim.: 9mm ID x 24mm OD x 7mm W
 Note: Used in power tools



623-2RS C3

Dim.: 3mm ID x 10mm OD x 4mm W
 Note: Used in power tools



624-2RS C3

Dim.: 4mm ID x 13mm OD x 5mm W
 Note: Used in power tools



625-2RS C3

Dim.: 5mm ID x 16mm OD x 5mm W
 Note: Used in power tools



626-2RS C3

Dim.: 6mm ID x 19mm OD x 6mm W
 Note: Used in power tools



627-2RS C3

Dim.: 7mm ID x 22mm OD x 7mm W
 Note: Used in power tools



628-2RS C3

Dim.: 8mm ID x 24mm OD x 8mm W
 Note: Used in Mitsuba
 SM402, SM512 starters



629-2RS C3

Dim.: 9mm ID x 26mm OD x 8mm W
 Replaces: Motorcraft MCE-432;
 Prestolite 25-23, GJH-45



638-2RS C3

Dim.: 8mm ID x 28mm OD x 9mm W
 Note: Used in Nippondenso
 offset G/R starters



688-2RS C3

Dim.: 8mm ID x 16mm OD x 5mm W
 Note: Used in power tools



MR84-ZZ C3

Dim.: 4mm ID x 8mm OD x 3mm W
 Note: Used in Office Equipment -
 Copiers, Scanners



R4-2RS C3

Dim.: .25" ID x .625" OD x .196" W



R4A-ZZ C0

Dim.: .25" ID x .75" OD x .281" W
Note: Used in miniature compressors



RLS4-VV C0

Dim.: .25" ID x .625" OD x .196" W
Note: Low Torque Seals,
9 Ball Complement
Used in electric motors



R6-2RS C3

Dim.: .375" ID x .875" OD x .281" W



R8-2RS C3

Dim.: .50" ID x 1.125" OD x .3125" W
Replaces: Ford C5NF-10094-A



R10-2RS C3

Dim.: .625" ID x 1.375" OD x .3438" W



R12-2RS C3

Dim.: .75" ID x 1.625" OD x .4375" W
Replaces: Harley Davidson 31539-66



Double Row Angular Contact Bearings



5200-2RS

Dim.: 10mm ID x 30mm OD x 14.3mm W



5201-2RS

Dim.: 12mm ID x 32mm OD x 15.9mm W



5202-2RS

Dim.: 15mm ID x 35mm OD x 15.9mm W



5203-2RS

Dim.: 17mm ID x 40mm OD x 17.5mm W



5204-2RS

Dim.: 20mm ID x 47mm OD x 20.6mm W



5205-2RS

Dim.: 25mm ID x 52mm OD x 20.6mm W



5206-2RS

Dim.: 30mm ID x 62mm OD x 23.8mm W



5207-2RS

Dim.: 35mm ID x 72mm OD x 27mm W



5208-2RS

Dim.: 40mm ID x 80mm OD x 30.2mm W



5209-2RS

Dim.: 45mm ID x 85mm OD x 30.2mm W



5210-2RS

Dim.: 50mm ID x 90mm OD x 30.2mm W



5302-2RS

Dim.: 15mm ID x 42mm OD x 19mm W



5303-2RS

Dim.: 17mm ID x 47mm OD x 19mm W



5304-2RS

Dim.: 20mm ID x 52mm OD x 22.2mm W



5305-2RS

Dim.: 25mm ID x 62mm OD x 25.4mm W



5306-2RS

Dim.: 30mm ID x 72mm OD x 30.2mm W



5307-2RS

Dim.: 35mm ID x 80mm OD x 34.9mm W



5308-2RS

Dim.: 40mm ID x 90mm OD x 36.5mm W



5309-2RS

Dim.: 45mm ID x 100mm OD x 39.7mm W



5310-2RS

Dim.: 50mm ID x 110mm OD x 44.4mm W



NB-101

Dim.: 17mm ID x 23.8mm OD x 17.4mm W

Replaces: Chrysler 3755184; Delco 9436831; Ford D2OZ-10A304-A

Note: Closed End



NB-102

Dim.: 11mm ID x 17.5mm OD x 16.5mm W

Replaces: Delco 3472455; INA 56769

Note: End cap 13.2mm tall



NB-103

Dim.: 18mm ID x 24mm OD x 12mm W

Replaces: INA HK-1812



NB-104

Dim.: 17mm ID x 23.8mm OD x 17.4mm W

Replaces: Delco 9433301, 9437211, 9437221; Leece Neville 78625; SKF BA609

Note: Open End



NB-105

Dim.: 11mm ID x 17.5mm OD x 16.5mm W

Replaces: INA 56769

Note: End cap 12.6mm tall



NB-106

Dim.: 11mm ID x 16mm OD x 12.7mm W

Replaces: Delco 10469066, 9441607; INA SCE-78



NB-107

Dim.: 17mm ID x 23.85mm OD x 18.5mm W

Replaces: Bosch 2-000-910-015



NB-108

Dim.: 6mm ID x 10mm OD x 8mm W

Replaces: Ford E90F-11448-BA; INA HK-0608



NB-109

Dim.: 17mm ID x 23.8mm OD x 31.5mm W

Replaces: Delco 7451782, 9437171; INA FC66217; Torrington DB-50430



NB-110

Dim.: 19mm ID x 25.4mm OD x 14mm W

Replaces: Ford F81U-11448-CA; Torrington JT-129

**Photo
Currently
Not
Available**

NB-111

Dim.: 36.5mm ID x 30.2mm OD x 13.4mm W

Replaces: INA F-1234592.2



NB-112

Dim.: 17.3mm ID x 24.06mm OD x 19.91mm W

Replaces: KOYO MFNM17200H-1

Note: Used in Nippondenso starter# 428000-120

Closed end

**Photo
Currently
Not
Available**

PC25520012CS

Dim.: 25mm ID x 52mm OD x 12mm W
Replaces: Nachi 25BC05
Note: Used in York compressors

**Photo
Currently
Not
Available**

PC256200113CS

Dim.: 25mm ID x 62mm OD x 11.3mm W
Replaces: Nachi 25BCS11
Note: Used in York compressors

**Photo
Currently
Not
Available**

PC28520009CS

Dim.: 27.581mm ID x 52mm OD x
9mm W
Replaces: Nachi BRLE8SN
Note: Used in Tecumseh compressors



PC30450018CS

Dim.: 30mm ID x 45mm OD x 18mm W
Replaces: Nachi 30BG04S22G-2DL
Note: Used in Ford equipment



PC30450023CS

Dim.: 30mm ID x 45mm OD x 23mm W
Replaces: Nachi 30BG04S23G-2DL
Note: Used in Ford VF-II compressors



PC30470018CS

Dim.: 30mm ID x 47mm OD x 18mm W
Replaces: KOYO 834693;
Nachi 30BGS04S8G-2DS,
30BG04416G-2DSTF;
NSK 30BD4718DDUKX
Note: Used in Denso & Sanden
compressors



PC30470022CS

Dim.: 30mm ID x 47mm OD x 22mm W
Replaces: Nachi 30BG04S13G-2DST2
Note: Used in Sanden compressors



PC30520022CS

Dim.: 30mm ID x 52mm OD x 22mm W
Replaces: KOYO DAC3052-32R;
Nachi 30BG05S2G 2DS,
30BG5222-2DSEC30,
30BGS10G-2DST2F
Note: Used in Denso compressors



PC30550023CS

Dim.: 30mm ID x 55mm OD x 23mm W
Replaces: Nachi 30BG05S5G-2DS,
5006-2NSL; NSK
30BD40AT12DD7CG21SBU2ENRL
Note: Used in Dehr, Bosch, Diesel Kiki,
Nihon, York compressors



PC306200113CS

Dim.: 30mm ID x 62mm OD x 11.3mm W
Replaces: Nachi 30BCS8
Note: Used in Tecumseh compressors



PC30620027CS

Dim.: 30mm ID x 62mm OD x 26.99mm W

Replaces: KOYO BD30-11A; Nachi 30BGS1-2DSKAI; 30BGS1-2NSL

Note: Used in Chrysler & White compressors



PC32550023CS

Dim.: 32mm ID x 55mm OD x 23mm W

Replaces: Nachi 30BG05S1-2DST; NSK 32BD4ST12DDUCG21

Note: Used in Matsushita, Panasonic, Seiko Seiki, York compressors



PC35550020CSR1

Dim.: 35mm ID x 55mm OD x 20mm W

Replaces: KOYO 83A694; Nachi 35BG05G-2DT, 35BG05S10G-2DST2, 35BG05S16G-2DL;

NSK 35BD219T12DDUK8CG21EAIL
Note: Used in Diesel Kiki, Matsushita, Nihon, Sanden, Sottec compressors
Heavy Duty



PC32470018CS

Dim.: 32mm ID x 47mm OD x 19mm W

Replaces: Nachi 32BG04S3G-2DL; NSK 32BD418DU

Note: Used in Suzuki equipment



PC35500020CS

Dim.: 35mm ID x 50mm OD x 20mm W

Replaces: Nachi 35BG05S7G-2DST, 35BG05S7G-2DL; NSK 35BD5020DDUCG21

Note: Used in Delphi, Mitsubishi, Sanden, Seiko Seiki compressors



PC35620021CS

Dim.: 35mm ID x 62mm OD x 21mm W

Replaces: Nachi 35BG06G-2DS



PC32520020/18CS

Dim.: 32mm ID x 52mm OD x 20/18mm W



PC35520022CS

Dim.: 35mm ID x 52mm OD x 22mm W

Replaces: Nachi 35BG05S6G-2DS2FT, 35BG5222-2DLCS21

Note: Used in Delphi & Denso compressors



PC38540017CS

Dim.: 38mm ID x 54mm OD x 17mm W

Replaces: Nachi 35BG05S2G-2DS, 38BG05S6G-2DST2F, 38BG05S6G-2DST2FR

Note: Used in Denso compressors



PC40550024CS

Dim.: 40mm ID x 55mm OD x 24mm W
 Replaces: Nachi 40BGS40G-2DST
 Note: Used in Mitsubishi compressors



PC40570024CS

Dim.: 40mm ID x 57mm OD x 24mm W
 Replaces: Nachi 40BG05S2G-2DS;
 NSK 40BD4ST12DDUCG21ENSL
 Note: Used in Mitsubishi & Sanden compressors



PC40570024/20CS

Dim.: 40mm ID x 57mm OD x 24/20mm W
 Replaces: Nachi 40BG05S1G-2DS
 Note: Used in Denso & Sanden compressors



PC406200206CS

Dim.: 40mm ID x 62mm OD x 20.6mm W
 Replaces: KOYO 83A5519;
 Nachi 40BG62020-2DLCS, 40BGS8G-2DS, 6557684, 6559469, 712019-NBR-2CS; NTN 2TS2DF0893LLACS01; NSK 40BD49T12DDUCG33, 40BD49T12DDU28DCA-3AENSK7
 Note: Used in Keihin, Seiko Seiki compressors



PC40620024CS

Dim.: 40mm ID x 62mm OD x 24mm W
 Replaces: KOYO 83A551B4CS2; Nachi 40BGS11G-2DS, 40BGS11G-2NSL, 40BGS35G-2DL, 40BGS35G-2DST, 40BGS35G-2DSTF; NTN 2TS2DP0865LLBCS45/SC
 Note: Used in Denso, Hitachi, Sanden, Seiko Seiki compressors



PC40620024/206CS

Dim.: 40mm ID x 62mm OD x 24/20.6mm W
 Replaces: Nachi 40BGS12G-2DS, 40BGS36G-2DST2F; NSK 40BD49AWT12DDU5CS75PAISRIL
 Note: Used in Denso compressors



PC40660024CS

Dim.: 40mm ID x 66mm OD x 24mm W
 Replaces: Nachi 40BGS39G-2DL, 40BGS39G-2DST
 Note: Used in Mitsubishi compressors

**Photo
 Currently
 Not
 Available**

PC45750032CS

Dim.: 45mm ID x 75mm OD x 32mm W
 Replaces: Nachi 45BG07S5G-2DL
 Note: Used in Toyota equipment



PC50720020CS

Dim.: 50mm ID x 72mm OD x 20mm W
Replaces: Nachi 50BC07S1

**Photo
Currently
Not
Available**

PC751300050CS

Dim.: 75mm ID x 130mm OD x 50mm W
Replaces: Nachi 75BGS2G-2DS



PT40900046

Dim.: 40mm ID x 90mm OD x 40mm W
Replaces: Nachi 401BVV09-1
Note: Used in Bendix compressors


PW25520037CSHD

Dim.: 25mm ID x 52mm OD x 37mm W
 Replaces: Citroen 9549645380;
 Peugeot 373021, 424725,
 Renault 7703090253, 7703090433;
 SKF 445539BH; SNR FC12025S09


PW28580042CS

Dim.: 28mm ID x 58mm OD x 42mm W
 Replaces: Koyo DAC28582RK


PW30640042CS

Dim.: 30mm ID x 64mm OD x 42mm W
 Replaces: KOYO DAC3064W2RBKB;
 Suzuki 43462-77500


PW27520045CS

Dim.: 27mm ID x 52mm OD x 45mm W
 Replaces: Nissan 43210-50A00;
 NSK 27KW02G3; NTN DE0569CSLLS


PW30600337CS

Dim.: 30mm ID x 60.03mm OD x
 37mm W
 Replaces: Fiat 4178737, 4249176,
 4339308, 4443880, 5443880, 5937306,
 5947834; Lada 21072104020;
 Seal X044438800; SKF 633313;
 SNR GB10790S05


PW34640037CS

Dim.: 34mm ID x 64mm OD x 37mm W
 Replaces: Lada 21083103020;
 Opel 328100, 328104; Vauxhall
 90065H31; VW 171407625A, C;
 FAG 540466B, 532066DE;
 SKF 309726DA; KOYO DAC3060372RS;
 IBR 6041; SNR GB10884


PW27600050CS

Dim.: 27mm ID x 60mm OD x 50mm W
 Replaces: IRB IR8063,
 Nachi 27BVV06-2G

**Photo
 Currently
 Not
 Available**

PW30630342CS

Dim.: 30mm ID x 63.03mm OD x
 42mm W
 Replaces: NSK 30BWD01A-A;
 KOYO DAC3063W-1


PW34660037CS

Dim.: 34mm ID x 66mm OD x 37mm W
 Replaces: Opel 328106, 90447280;
 INA F110487; FAG 580400; SKF 636114A



PW35600030CS

Dim.: 35mm ID x 60mm OD x 30mm W



PW35660032CS

Dim.: 35mm ID x 66mm OD x 32mm W

Replaces: SKF BA2B 445960 BA

Note: Front Wheel Bearing

Fits Citroen AX, Saxo, Peugeot 106



PW35680037CS

Dim.: 35mm ID x 68mm OD x 37mm W

Replaces: SKF BAHB633528F;

SNR GB12132; Volvo 3454197



PW35640037CS

Dim.: 35mm ID x 64mm OD x 37mm W

Replaces: KOYO DAC3564A-1



PW35660037CS

Dim.: 35mm ID x 66mm OD x 37mm W

Replaces: FAG 546238, 544307;

SKF BAHB633676; SNR GB12136;

VW 191407625, 6N0407625S



PW35720033CS

Dim.: 35mm ID x 72mm OD x 33mm W

Replaces: Citroen 9153/605;

Peugeot 332631; SKF 445535AE,

446762B; SNR GB12094S04



PW35650035CS

Dim.: 35mm ID x 65mm OD x 35mm W

Replaces: Renault 7703090251,

7703090283, 7703090404;

SKF 445620BA; SNR FC12033S03



PW35680233/30CS

Dim.: 34.96mm ID x 68.02mm OD x

33/30mm W

Replaces: KOYO DAC3568W-6



PW35720034CS

Dim.: 35mm ID x 72mm OD x 34mm W

Replaces: Koyo DAC357234A



PW35720233/31CS

Dim.: 35mm ID x 72.02mm OD x 33/31mm W

Replaces: KOYO DAC357233B-1W



PW37720033CS

Dim.: 37mm ID x 72mm OD x 33mm W



PW38700038CS

Dim.: 38mm ID x 70mm OD x 38mm W



PW36680033CS

Dim.: 36mm ID x 68mm OD x 33mm W

Replaces: KOYO DAC3668W



PW37720037CS

Dim.: 37mm ID x 72mm OD x 37mm W



PW38710233/30CS

Dim.: 37.99mm ID x 71.02mm OD x 33/30mm W

Replaces: Toyota 90369-38006; KOYO DAC3671W-2; MBS M3871W; NSK 368WD09CA15B



PW36720534CS

Dim.: 36mm ID x 72.05mm OD x 34mm W

Replaces: KOYO DAC367234A



PW37720237CS

Dim.: 37mm ID x 72.02mm OD x 37mm W

Replaces: Renault 7703090222; SKF 445533A; SNR TGB10872S02



PW38720236/33CS

Dim.: 37.99mm ID x 72.02mm OD x
36/33mm W
Replaces: KOYO DAC3872W-8;
NTN 5908MB



PW38740050CS

Dim.: 38mm ID x 74mm OD x 50mm W
Replaces: FAG 559912; NTN DE0892



PW39720037CS

Dim.: 39mm ID x 72mm OD x 37mm W
Replaces: BMW 1124358, 33411124358;
Ford 6485018, 91AB1215AA; Opel
328101, 328102, 328103; SKF 311396B;
SNR GB12776; Vauxhall 90095271



PW38720040CS

Dim.: 38mm ID x 72mm OD x 40mm W



PW39680737CS

Dim.: 39mm ID x 68.07mm OD x
37mm W
Replaces: Audi 8674070625A;
FAG 540733, 528810; INA F45747;
IRB IB-8052, IR8111;
SKF BA2B309692, BA2B309396,
BAHB311315AD; VW 811407625D



PW39720437CS

Dim.: 39mm ID x 72.04mm OD x
37mm W
Replaces: BMW 1124358;
Isuzu 8-942540351; Opel 328101



PW38740236/33CS

Dim.: 37.988mm ID x 74.02mm OD x
36/33mm W
Replaces: KOYO DAC3874W;
IRB 8550; Nachi 38BV07-26C



PW39/41750037CS

Dim.: 39/41mm ID x 75mm OD x 37mm W

Replaces: Audi 893-407-625;
FAG 567447; IRB IR8530;
SKF 633815A; SNR GB12399S01



PW40720037CS

Dim.: 40mm ID x 72mm OD x 37mm W

Replaces: SEAT 357407625A;
SKF 311443B; SNR GB12320S02;
VW 357407625A



PW40760033/28CS

Dim.: 40mm ID x 76mm OD x 33/28mm W

Replaces: Chrysler 5212522;
FAG 539166AB, IRB IR8100,
SKF 474743F



PW40720036/33CS

Dim.: 40mm ID x 72mm OD x 36/33mm W

Replaces: KOYO DAC4072



PW40740036/34CS

Dim.: 40mm ID x 74mm OD x 36/34mm W

Replaces: KOYO DAC4074CW



PW40760041/38CS

Dim.: 40mm ID x 76mm OD x 41/38mm W

Replaces: KOYO DAC4076412RS



PW40740040CS

Dim.: 40mm ID x 74mm OD x 40mm W

Replaces: KOYO DAC407440



PW40800036/34CS

Dim.: 40mm ID x 80mm OD x 36/34mm W

Replaces: KOYO DAC4080M1



PW42750037CS

Dim.: 42mm ID x 75mm OD x 37mm W

Replaces: Alfa Romeo 115204, 116002540103, 116002540107111, 116002540108, 543954, 60554002; BMW 31211130617; Fiat 803407625; SKF 603694A, 633196, 633457; SNR GB12010; Volkswagen 431407625A, 443407625, 443407625C



PW42800045CS

Dim.: 42mm ID x 80mm OD x 45mm W

Replaces: KOYO DAC4280WHR4



PW42720038/35CS

Dim.: 42mm ID x 72mm OD x 38/35mm W

Replaces: NSK 42KWD02; Nissan 40210-01E00; Subaru 28016-HA011, 28016-AA11NT



PW42760040/37CS

Dim.: 42mm ID x 76mm OD x 40/37mm W

Replaces: FAG 547059A; KOYO DAC4276402RS; SKF 909042



PW42820036CS

Dim.: 42mm ID x 82mm OD x 36mm W

Replaces: Citroen 9549625280, 95590022; Peugeot 9559002280; SKF 446047CA; SNR GB12163S04



PW42720038CS

Dim.: 42mm ID x 72mm OD x 38mm W

Replaces: Mazda H266-26-151; NTN 4T-CRI-0822LL; SKF 311443B

**PW42840036CS**

Dim.: 42mm ID x 84mm OD x 36mm W

Replaces: Peugeot 332625, 332634;
SKF 444090AB; SNR GB10857S02;
Talbot 9150411960**PW45800045CS**

Dim.: 45mm ID x 80mm OD x 45mm W

Replaces: FAG 564725AB

**PW50900034CS**

Dim.: 50mm ID x 90mm OD x 34mm W

Replaces: FAG 528514; SKF 633007C